

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

Isotope Map: Medium Resolution




FIG. 7

Isotope Map: High Resolution







FIG. 8



9 / 21


FIG. 9



10 / 21

FIG. 10

Peptide Detection



11 / 21

FIG. 11




FIG. 12

Peptide map




FIG. 13





FIG. 14

Peptide Maps: Alignment



15 / 21

FIG. 15

Peptide Maps: Differences (1/40th)




FIG. 16

Peptide Maps: Differences (1/40th)






FIG. 17



18 / 21

FIG. 18



19 / 21

FIG. 19




FIG. 20





FIG. 21

PEAK INTENSITY AND VOLUME MEASUREMENTS

Volume defined by m/z R_t and Int.

N/T ratio: 1.4 (intensity)
1.9 (volume)